



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### MATERIAL SAFETY DATA SHEET

1st November 2013

#### uPVC NON PRESSURE CEMENT/WELD

ABSTRACT No: 78-93-3

CHEMICAL FAMILY	Ketone	NIOSH No	N/A
CHEMICAL NAME	N/A	HAZCHEM CODE	N/A
SYNONYMS	N/A	UN No	1193

COMPOSITION	
HAZARDOUS COMPONENTS	Oxygenated Solvent Blend
EEC CLASSIFICATION	606-002-00-3
R PHASES	R36/37

#### HAZARDS IDENTIFICATION

MAIN HAZARD	Flammability
FLAMMABILITY HAZARD	Extremely Flammable
BIOLOGICAL HAZARD	Not Available
REPRODUCTION HAZARD	Not Available
CHEMICAL HAZARD	Forms explosive air-vapour mixtures
HEALTH EFFECT - Skin	Irritation, Rash , Redness
HEALTH EFFECT - Ingestion	Abdominal Cramps, Cough, Headache, Drowsiness
HEALTH EFFECT - Inhalation	Cough, Headache, Drowsiness, Nausea
HEALTH EFFECT - E yes	Irritation, Redness, Pain

#### FIRST AID MEASURES

EYES	Flush with water for at least 15 minutes - call a doctor
SKIN	Remove all contaminated clothing. Flush skin with water or shower. Refer to doctor if necessary.
INGESTION	Rinse mouth. Do not induce vomiting. Call a doctor or take to hospital.
INHALATION	Remove to fresh air. Rest. Apply artificial respiration if breathing has stopped. Call a doctor.



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### MATERIAL SAFETY DATA SHEET

Page 2

#### uPVC NON PRESSURE CEMENT/WELD

#### FIRE FIGHTING MEASURES

<b>EXTINGUISHING MEASURES</b>	Powder, alcohol resistant foam, large quantities of water or carbon dioxide
<b>SPECIAL HAZARDS</b>	In case if fire, keep tank/drums cool by spraying with water
<b>PROTECTIVE CLOTHING</b>	Wear fire-resistant clothing

#### ACCIDENTAL RELEASE MEASURE

<b>PERSONAL PRECAUTIONS</b>	Use suitable breathing apparatus. Restrict access to area during clean up
<b>ENVIRONMENTAL PRECAUTIONS</b>	Ensure spillage does not enter drainage, sewers etc...
<b>SMALL SPILLS</b>	Soak up with sand or other inert absorbent and remove to a safe place
<b>LARGE SPILLS</b>	Collect in sealable containers and remove to a safe place

#### HANDLING & STORAGE

<b>HANDLING</b>	Adequate personal protective clothing/equipment - respirators overalls, gloves and safety boots are recommended
<b>STORAGE</b>	Keep product in cool well ventilated places away from oxidising agents and flames



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### MATERIAL SAFETY DATA SHEET

Page 3

#### uPVC NON PRESSURE CEMENT/WELD

#### EXPOSURE CONTROL/PERSONAL PROTECTION

<b>OCCUPATIONAL EXPOSURE LIMITS</b>	TLV-TWA-200 ppm-590mg/m <sup>3</sup>
<b>ENGINEERING CONTROL MEASURES</b>	Require sealed machinery, ventilation, explosion-proof electrical equipment and lighting. Use non-sparking tools.
	Keep vapor levels below TLV levels
<b>PERSONAL PROTECTION Respiratory</b>	Ventilation, local exhaust or respiratory protection
<b>PERSONAL PROTECTION Hand</b>	Wear Rubber Gloves
<b>PERSONAL PROTECTION Eyes</b>	Wear Safety Goggles
<b>PERSONAL PROTECTION Skin</b>	Wear protective clothing and use gloves
<b>OTHER PROTECTION</b>	Wear apron for extensive use

#### PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE</b>	Clear gel like liquid
<b>ODOUR</b>	Characteristic solvent odour
<b>pH</b>	N/A
<b>BOILING POINT</b>	70 degrees celsius
<b>MELTING POINT</b>	minus 32.1 degrees celsius
<b>FLASH POINT</b>	minus 6 degrees celsius
<b>FLAMMABILITY</b>	Extremely flammable
<b>AUTOFLAMMABILITY</b>	505 degrees celsius
<b>EXPLOSIVE PROPERTIES</b>	Limits 1,8 - 11,5 (Vol % in air)
<b>OXIDISING PROPERTIES</b>	Reacts with strong oxidising agents
<b>VAPOUR PRESSURE</b>	80mm Hg at 20 degrees celsius
<b>DENSITY</b>	0.83
<b>SOLUBILITY - Water</b>	29g/100ml at 20 degrees celsius
<b>SOLUBILITY - Solvent</b>	Miscible with most solvents
<b>SOLUBILITY Co-efficient</b>	Not Available
<b>NEUROTOXICITY</b>	Not Available



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### MATERIAL SAFETY DATA SHEET

Page 4

#### uPVC NON PRESSURE CEMENT/WELD

#### STABILITY AND REACTIVITY

CONDITIONS TO AVOID	Open flames and sparks
INCOMPATIBLE MATERIALS	Oxidising agents and mineral acids
HAZARDOUS DECOMPOSITION	Carbon Dioxide, Carbon monoxide
PRODUCTS	

#### TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Not available
SKIN AND EYE CONTACT	Absorbed through skin and also causes redness. Eye contact causes irritation, redness and pain
CHRONIC TOXICITY	Liver and kidney damage in animals
CARCINOGENICITY	Not available
MUTAGENICITY	Not available
REPRODUCTIVE HAZARDS	Not available

#### ECOLOGICAL INFORMATION

AQUATIC TOXICITY - Fish	Not Available
AQUATIC TOXICITY - Daphnia	Not Available
AQUATIC TOXICITY - Algae	Not Available
BIODEGRADABILITY	Not Available
BIO-ACCUMULATION	Not Available
MOBILITY	Not Available

#### DISPOSAL CONSIDERATIONS

DISPOSAL METHODS	According to local regulations only under strictly controlled and supervised conditions
DISPOSAL OF PACKAGING	Consult local authorities



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### MATERIAL SAFETY DATA SHEET

Page 5

#### uPVC NON PRESSURE CEMENT/WELD

#### TRANSPORTATION INFORMATION

UN No	1193
SUBSTANCE IDENTITY NUMBER	UPVC Solvent Cement
ADR/RID CLASS	Not available
ADR/RID ITEM NO	Not available
ADR/RID HAZARD Identity No	Not available
IMO - HAZARD CLASS & DIVISION	3.2
IMO - UN	1193
IMO - Packaging Group	PG 11
IATA - Shipping Name	Solvent Cement
IATA - Packaging Group	PG 11
IATA - Labels	Flammable Liquid
ADMR - Class	Not available
UK - Description	Not available
UK - Emergency Action Class	Not available
UK - Classification	Not available

#### REGULATORY INFORMATION

EEC HAZARD CLASSIFICATION	Not available
RISK PHRASES	11 - 36/37
SAFETY PHRASES	9-16-25-33
NATIONAL LEGISLATION	Not available

#### OTHER INFORMATION

The data presented herein corresponds to the present state of our knowledge and experience and is intended to describe our product with respect to safety demands. We imply, however, no guarantee of properties or description of qualities.

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: wtpi@icon.co.za

### MATERIAL SAFETY DATA SHEET

1st November 2013

#### SOFT SOAP

A dark to light brown water soluble grease/soap

A non-petroleum Based soap manufactured from vegetable oils

<b>CHEMICAL FAMILY</b>	Soft Soap
<b>SAFETY PHASES</b>	S2,S3,S15,S29,S36,S37
<b>HAZARDOUS COMPONENTS</b>	None
<b>R. PHASES</b>	R36/R38
<b>PRODUCT RATING</b>	Green - Low Risk

<b>BENEFITS</b>	Does not cause deterioration to either natural or synthetic rubber
	Is non-toxic and bio-degradable
	Is economical to use
	Does not have an objectionable odour
	Prevents damage to the bead and allows for perfect bead setting on the rim
	Conforms to SABS Spec 239
	Is safe to use on potable water

#### HAZARDS IDENTIFICATION

<b>MAIN HAZARD</b>	None
<b>FLAMMABILITY HAZARD</b>	Non-Flammable
<b>BIOLOGICAL HAZARD</b>	None
<b>REPRODUCTION HAZARD</b>	None
<b>HEALTH EFFECT - Skin</b>	Mildly irritating on sensitive skin
<b>HEALTH EFFECT - Ingestion</b>	Nausea and Vomiting
<b>HEALTH EFFECT - Inhalation</b>	No Hazardous vapours emitted
<b>HEALTH EFFECT - Eyes</b>	Mild Irritant
<b>CARCINOGENICITY</b>	No data available
<b>NEUROTOXICITY</b>	No data available



## **WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD**

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: wtpi@icon.co.za

Page 2

### **FIRST AID MEASURES**

<b>EYES</b>	Flush with water for at least 15 minutes
<b>SKIN</b>	Rinse with water
<b>INGESTION</b>	Induce vomiting under medical supervision
<b>INHALATION</b>	No side effects

### **FIRE FIGHTING MEASURES**

<b>EXTINGUISHING MEASURES</b>	Non-flammable Product
<b>SPECIAL HAZARDS</b>	None Known
<b>PROTECTIVE CLOTHING</b>	Wear gloves

### **ACCIDENTAL RELEASE MEASURE**

<b>PERSONAL PRECAUTIONS</b>	Clear spill site
<b>ENGINEERING CONTROL LIMITS</b>	None
<b>SMALL SPILLS</b>	Flush away with water
<b>LARGE SPILLS</b>	Contain with sand for disposal

### **STORAGE**

<b>PACKAGING</b>	Store in metal or plastic drums/buckets
<b>STORAGE</b>	Store in a cool place



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: wtpi@icon.co.za

Page 3

### EXPOSURE CONTROL/PERSONAL PROTECTION

<b>OCCUPATIONAL EXPOSURE LIMITS</b>	No data available
<b>ENGINEERING CONTROL MEASURES</b>	None
<b>PERSONAL PROTECTION Respiratory</b>	None
<b>PERSONAL PROTECTION Hand</b>	Wear Rubber Gloves
<b>PERSONAL PROTECTION Eyes</b>	Wear Safety Goggles
<b>PERSONAL PROTECTION Skin</b>	Wear protective clothing and use gloves
<b>OTHER PROTECTION</b>	Wear apron for extensive use

### PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE</b>	Thick brown/tan coloured soap/gel
<b>ODOUR</b>	Fatty Acid Oils
<b>pH</b>	9
<b>BOILING POINT</b>	Greater than 90 degrees C
<b>FLASH POINT</b>	None
<b>FLAMMABILITY</b>	Non-flammable
<b>AUTOFLAMMABILITY</b>	Non-flammable
<b>EXPLOSIVE PROPERTIES</b>	None
<b>SOLUBILITY - Water</b>	Soluble
<b>SOLUBILITY - Solvent</b>	Insoluble in most solvents

### STABILITY AND REACTIVITY

<b>CONDITIONS TO AVOID</b>	Extreme heat
<b>INCOMPATIBLE MATERIALS</b>	None known





## **WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD**

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

Page 4

### **ECOLOGICAL INFORMATION**

<b>AQUATIC TOXICITY - Fish</b>	Dangerous in high concentrations
<b>AQUATIC TOXICITY - Daphnia</b>	Dangerous in high concentrations
<b>AQUATIC TOXICITY - Algae</b>	Dangerous in high concentrations
<b>BIODEGRADABILITY</b>	Bio-degradable

### **DISPOSAL CONSIDERATIONS**

<b>DISPOSAL METHODS</b>	Controlled incineration
<b>DISPOSAL OF PACKAGING</b>	Consult local authorities

### **PRODUCT CONTENT**

Vegetable Oils

Potassium Hydroxide

Water

### **OTHER INFORMATION**

The data presented herein corresponds to the present state of our knowledge and experience and is intended to describe our product with respect to safety demands. We imply, however, no guarantee of properties or description of qualities.

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: wtpi@icon.co.za

### MATERIAL SAFETY DATA SHEET

1st November 2013

#### uPVC PRESSURE CEMENT/WELD

CHEMICAL ABSTRACT No: 108-94-1/109-99-9

CHEMICAL FAMILY	Ketone	NIOSH No	N/A
CHEMICAL NAME	N/A	HAZCHEM CODE	N/A
SYNONYMS	N/A	UN No	2056/1915

COMPOSITION	
HAZARDOUS COMPONENTS	Oxygenated Solvent Blend
EEC CLASSIFICATION	Not Available
R PHASES	11-19-36/37 and 10-20

#### HAZARDS IDENTIFICATION

MAIN HAZARD	Flammability
FLAMMABILITY HAZARD	Extremely Flammable
BIOLOGICAL HAZARD	Not Available
REPRODUCTION HAZARD	Not Available
CHEMICAL HAZARD	Forms explosive air-vapour mixtures
HEALTH EFFECT - Skin	Irritation, Rash , Redness
HEALTH EFFECT - Ingestion	Abdominal Cramps, Cough, Headache, Drowsines
HEALTH EFFECT - Inhalation	Cough, Headache, Drowsiness, Nausea
HEALTH EFFECT - E yes	Irritation, Redness, Pain

#### FIRST AID MEASURES

EYES	Flush with water for at least 15 minutes - call a doctor
SKIN	Remove all contaminated clothing. Flush skin with water or shower. Refer to doctor if necessary.
INGESTION	Rinse mouth. Do not induce vomiting. Call a doctor or take to hospital.
INHALATION	Remove to fresh air. Rest. Apply artificial respiration if breathing has stopped. Call a doctor.



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: wtpi@icon.co.za

### MATERIAL SAFETY DATA SHEET

Page 2

#### uPVC PRESSURE CEMENT/WELD

#### FIRE FIGHTING MEASURES

<b>EXTINGUISHING MEASURES</b>	Powder, alcohol resistant foam, large quantities of water or carbon dioxide
<b>SPECIAL HAZARDS</b>	In case if fire, keep tank/drums cool by spraying with water
<b>PROTECTIVE CLOTHING</b>	Wear fire-resistant clothing

#### ACCIDENTAL RELEASE MEASURE

<b>PERSONAL PRECAUTIONS</b>	Use suitable breathing apparatus. Restrict access to area during clean up
<b>ENVIRONMENTAL PRECAUTIONS</b>	Ensure spillage does not enter drainage, sewers etc...
<b>SMALL SPILLS</b>	Soak up with sand or other inert absorbent and remove to a safe place
<b>LARGE SPILLS</b>	Collect in sealable containers and remove to a safe place

#### HANDLING & STORAGE

<b>HANDLING</b>	Adequate personal protective clothing/equipment - respiratory overalls, gloves and safety boots are recommended
<b>STORAGE</b>	Keep product in cool well ventilated places away from oxidising agents and flames



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: wtpi@icon.co.za

### MATERIAL SAFETY DATA SHEET

Page 3

#### uPVC PRESSURE CEMENT/WELD

#### EXPOSURE CONTROL/PERSONAL PROTECTION

<b>OCCUPATIONAL EXPOSURE LIMITS</b>	TLV-TWA-200 ppm-590mg/m <sup>3</sup>
<b>ENGINEERING CONTROL MEASURES</b>	Require sealed machinery, ventilation, explosion-proof electrical equipment and lighting. Use non-sparking tools.
	Keep vapor levels below TLV levels
<b>PERSONAL PROTECTION Respiratory</b>	Ventilation, local exhaust or respiratory protection
<b>PERSONAL PROTECTION Hand</b>	Wear Rubber Gloves
<b>PERSONAL PROTECTION Eyes</b>	Wear Safety Goggles
<b>PERSONAL PROTECTION Skin</b>	Wear protective clothing and use gloves
<b>OTHER PROTECTION</b>	Wear apron for extensive use

#### PHYSICAL AND CHEMICAL PROPERTIES

<b>APPEARANCE</b>	Clear gel like liquid
<b>ODOUR</b>	Characteristic solvent odour
<b>pH</b>	N/A
<b>BOILING POINT</b>	70 degrees celsius
<b>MELTING POINT</b>	minus 32.1 degrees celsius
<b>FLASH POINT</b>	minus 6 degrees celsius
<b>FLAMMABILITY</b>	Extremely flammable
<b>AUTOFLAMMABILITY</b>	505 degrees celsius
<b>EXPLOSIVE PROPERTIES</b>	Limits 1,8 - 11,5 (Vol % in air)
<b>OXIDISING PROPERTIES</b>	Reacts with strong oxidising agents
<b>VAPOUR PRESSURE</b>	80mm Hg at 20 degrees celsius
<b>DENSITY</b>	0.83
<b>SOLUBILITY - Water</b>	29g/100ml at 20 degrees celsius
<b>SOLUBILITY - Solvent</b>	Miscible with most solvents
<b>SOLUBILITY Co-efficient</b>	Not Available
<b>NEUROTOXICITY</b>	Not Available



## **WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD**

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### **MATERIAL SAFETY DATA SHEET**

Page 4

#### **uPVC PRESSURE CEMENT/WELD**

#### **STABILITY AND REACTIVITY**

<b>CONDITIONS TO AVOID</b>	Open flames and sparks
<b>INCOMPATIBLE MATERIALS</b>	Oxidising agents and mineral acids
<b>HAZARDOUS DECOMPOSITION</b>	Carbon Dioxide, Carbon monoxide
<b>PRODUCTS</b>	

#### **TOXICOLOGICAL INFORMATION**

<b>ACUTE TOXICITY</b>	Not available
<b>SKIN AND EYE CONTACT</b>	Absorbed through skin and also causes redness. Eye contact causes irritation, redness and pain
<b>CHRONIC TOXICITY</b>	Liver and kidney damage in animals
<b>CARCINOGENICITY</b>	Not available
<b>MUTAGENICITY</b>	Not available
<b>REPRODUCTIVE HAZARDS</b>	Not available

#### **ECOLOGICAL INFORMATION**

<b>AQUATIC TOXICITY - Fish</b>	Not Available
<b>AQUATIC TOXICITY - Daphnia</b>	Not Available
<b>AQUATIC TOXICITY - Algae</b>	Not Available
<b>BIODEGRADABILITY</b>	Not Available
<b>BIO-ACCUMULATION</b>	Not Available
<b>MOBILITY</b>	Not Available

#### **DISPOSAL CONSIDERATIONS**

<b>DISPOSAL METHODS</b>	According to local regulations only under strictly controlled and supervised conditions
<b>DISPOSAL OF PACKAGING</b>	Consult local authorities



## WATER TECHNOLOGY PLASTIC INDUSTRIES (PTY) LTD

Co Reg No: 97/00690/07 / VAT Reg No: 4080164488

PO Box 4793 - Rivonia - 2128 - JOHANNESBURG RSA

Std 24, No 50 Kya Sand Road, KYA SAND - RANDBURG - RSA

Tel: +27 11 708 3691/3 Fax: +27 11 708 3695

E-MAIL: [wtpi@icon.co.za](mailto:wtpi@icon.co.za)

### MATERIAL SAFETY DATA SHEET

Page 5

#### uPVC PRESSURE CEMENT/WELD

#### TRANSPORTATION INFORMATION

UN No	2056/1915
SUBSTANCE IDENTITY NUMBER	UPVC Solvent Cement Pressure
ADR/RID CLASS	Not available
ADR/RID ITEM NO	Not available
ADR/RID HAZARD Identity No	Not available
IMO - HAZARD CLASS & DIVISION	3.2
IMO - UN	1915
IMO - Packaging Group	PG 11
IATA - Shipping Name	Solvent Cement
IATA - Packaging Group	PG 11
IATA - Labels	Flammable Liquid
ADMR - Class	Not available
UK - Description	Not available
UK - Emergency Action Class	Not available
UK - Classification	Not available

#### REGULATORY INFORMATION

EEC HAZARD CLASSIFICATION	Not available
RISK PHRASES	11 - 36/37
SAFETY PHRASES	9-16-25-33
NATIONAL LEGISLATION	Not available

#### OTHER INFORMATION

The data presented herein corresponds to the present state of our knowledge and experience and is intended to describe our product with respect to safety demands. We imply, however, no guarantee of properties or description of qualities.

All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.